



### Meeting the Challenge

We are once again proud to present to you our annual water quality report. This edition covers all testing completed from January 1 through December 31, 2008. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal drinking water standards. We continually strive to adopt new and better methods for delivering the best quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the challenges of source water protection, water conservation, and community education while continuing to serve the needs of all our water users.

Please share with us your thoughts about the information in this report. After all, well-informed customers are our best allies.

### What's Your Water Footprint?

You may have some understanding about your carbon footprint, but how much do you know about your water footprint? The water footprint of an individual, community, or business is defined as the total volume of freshwater that is used to produce the goods and services that an individual or community consumes or that a business provides. For example, 11 gallons of water are needed to irrigate and wash the fruit in one half-gallon container of orange juice. Thirty-seven gallons of water are used to grow, produce, package, and ship the beans in that morning cup of coffee. Two hundred and sixty-four gallons of water are required to produce one quart of milk, and 4,200 gallons of water are required to produce two pounds of beef.

According to the U.S. EPA, the average American uses about 100 gallons of water daily. In fact, in the developed world, one flush of a toilet uses as much water as the average person in the developing world allocates for an entire day's cooking, washing, cleaning, and drinking. The annual American per capita water footprint is about 8,000 cubic feet; twice the global per capita average. With water use increasing six-fold in the past century, our demands for freshwater are rapidly outstripping what the planet can replenish.

To check out your own water footprint, go to www.h2oconserve.org, or visit www.waterfootprint.org to see how the water footprints of other nations compare.

### Substances That Could Be in Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

**Microbial Contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**Inorganic Contaminants**, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

**Pesticides and Herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

**Organic Chemical Contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

**Radioactive Contaminants**, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791.

# Questions?

For more information about this report, or for any questions relating to your drinking water, please call Al Purvis, Chief Water Operator, at (352) 728-9845 or visit our Web site at www.leesburgflorida.gov.

# **Important Health Information**

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.


### Where Does My Water Come From?

Our source of supply for both the City of Leesburg Main and East water systems is groundwater taken from the Floridan Aquifer within the Oklawaha watershed. In both water systems, chlorine in gas form is added as a precaution against any bacteria that may be present. (We carefully monitor the amount of chlorine, adding the lowest quantity necessary to protect the safety of your water without compromising taste.)

The City of Leesburg Main Water Treatment Plant has eight deep wells ranging in depth from 250 feet to 950 feet and located within the city limits. The City of Leesburg has 3.7 million gallons of storage capacity with more than 232 miles of distribution water mains. This main water system serves 9,768 meter connections representing an estimated population of 34,188 customers.

The East system, consisting of the Mall and Airport Water Treatment Plants, presently has two deep wells ranging in depth from 366 feet to 555 feet. The East system has 160,000 gallons of storage capacity with more than 85 miles of distribution water mains. This system serves 2,640 meter connections representing an estimated population of 9,240 customers.

To learn about your watershed on the Internet, go to the U.S. EPA's Surf Your Watershed Web site at www.epa.gov/surf.



### Water Conservation

You can play a role in conserving water and save yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever you can. It is not hard to conserve water. Here are a few tips:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you can save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.

## **Community Participation**

You are invited to participate in our city commission meetings and to voice your concerns about your drinking water. We meet beginning at 5 p.m. on the third floor of City Hall the second and fourth Monday of each month. City Hall is located at 501 W. Meadow Street in Leesburg.

# Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

### Radon

Radon is a radioactive gas that occurs naturally in some groundwater. It may pose a health risk when the gas is released from water into air, as occurs during showering, bathing, or washing dishes and clothes. Radon gas released from drinking water is a relatively small part of the total radon in air. Radon is released into homes and groundwater from soil. Inhalation of radon gas has been linked to lung cancer; however, the effects of radon ingested in drinking water are not yet clear. If you are concerned about radon in your home, tests are available to determine the total exposure level. For additional information on how to have your home tested, call (800) SOS-RADON.

### What's a Cross-Connection?

ross-connections that contaminate drinking water distribution lines are a major concern. A cross-connection is formed at any point where a drinking water line connects to equipment (boilers), systems containing chemicals (air conditioning systems, fire sprinkler systems, irrigation systems), or water sources of questionable quality. Crossconnection contamination can occur when the pressure in the equipment or system is greater than the pressure inside the drinking water line (backpressure). Contamination can also occur when the pressure in the drinking water line drops due to fairly routine occurrences (main breaks, heavy water demand) causing contaminants to be sucked out from the equipment and into the drinking water line (backsiphonage).

Outside water taps and garden hoses tend to be the most common sources of cross-connection contamination at home. The garden hose creates a hazard when submerged in a swimming pool or when attached to a chemical sprayer for weed killing. Garden hoses that are left lying on the ground may be contaminated by fertilizers, cesspools, or garden chemicals. Improperly installed valves in your toilet could also be a source of cross-connection contamination.

Community water supplies are continually jeopardized by cross-connections unless appropriate valves, known as backflow prevention devices, are installed and maintained. We have surveyed all industrial, commercial, and institutional facilities in the service area to make sure that all potential cross-connections are identified and eliminated or protected by a backflow preventer. We also inspect and test each backflow preventer to make sure that it is providing maximum protection.

For more information, review the Cross-Connection Control Manual from the U.S. EPA's Web site at www.epa.gov/safewater/crossconnection.html. You can also call the Safe Drinking Water Hotline at (800) 426-4791.

# Sampling Results

(ppb)

During the past year we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. Although all of the substances listed here are under the Maximum Contaminant Level (MCL), we feel it is important that you know exactly what was detected and how much of the substance was present in the water.

The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

data are included,	along with t	he year in w	hich the san								0,		,		the most recent samp
PRIMARY REGUI	ATED CON	TAMINANTS	;												
Radiological Contaminants		Main		East (Mall)		East (Airport)									
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED <sup>1</sup>	RANGE OF RESULTS <sup>1</sup>	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED <sup>1</sup>	RANGE OF RESULTS	DATE OF SAMPLING (MO./YR.	G LEVEL	RANGE OF RESULTS <sup>1</sup>	MCLG	MCL	L LIKELY SOURCE OF CONTAMINATION		
Alpha Emitters (pCi/L)	No	6/13/08	2.2	NA	1/22/08	5.0	NA	6/13/08	3 2.4	NA	0	15	Erosio	Erosion of natural deposits	
Radium 226 + 228 [Combined Radium] (pCi/L)	No	6/19/08	1.3	NA	6/19/08	1.0	NA	6/19/08	3 2.0	NA	0	5	Erosio	Erosion of natural deposits	
Inorganic Contaminants															
Barium (ppm)	No	1/8/08	0.0127	NA	1/8/08	0.009	NA	1/8/08	0.014	NA	2	2	Discha metal r	Discharge of drilling wastes; discharge fr metal refineries; erosion of natural depo	
Cadmium (ppb)	No	NA	NA	NA	NA	NA	NA	1/8/08	0.9	NA	5	5	of natu	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints	
Fluoride (ppm)	No	1/8/08	0.149	NA	1/8/08	0.16	NA	1/8/08	0.13	NA	4	4.0	fertilize additiv	Erosion of natural deposits; discharge fror fertilizer and aluminum factories; water additive that promotes strong teeth when optimum levels between 0.7 and 1.3 ppm	
Nitrate [as Nitrogen] (ppm)	No	1/8/08	0.187	NA	1/8/08	0.021	NA	1/8/08	0.117	NA	10	10	septic t	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
Nitrite [as Nitrogen] (ppm)	No	1/8/08	0.017	NA	1/8/08	0.023	NA	1/8/08	0.095	NA	1	1	septic t	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
Sodium (ppm)	No	1/8/08	6.34	NA	1/8/08	5.40	NA	1/8/08	5.280	NA	NA	160	Salt water intrusion, leaching from soil		
Stage 1 Disinfectants a	nd Disinfection	By-Products													
		Main East (Mall)						East (Airport)							
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED <sup>2</sup>	RANGE RESULT		ING LE	EVEL I	RANGE OF RESULTS <sup>2</sup>	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED <sup>2</sup>				LIKELY SOURCE OF CONTAMINATION	
Chlorine (ppm)	No	1/08–12/08	1.42	1.13–1	.62 1/08–1	2/08 1	.71	1.17–2.85	1/08–12/08	1.71	1.17–2.8	5	[4]	[4.0]	Water additive used to control microbes
Haloacetic Acids (five) [HAA5] (ppb)	No	7/8/08	11.6	NA	10/9/	/08 1	0.6	NA	7/8/08	12.7	NA		NA	60	By-product of drinking water disinfection
TTHM [Total trihalomethanes]	No	7/7/08	19.0	NA	10/1/	/08 19	9.45	NA	7/7/08	12.9	NA		NA	80	By-product of drinking water disinfection

#### Lead and Copper (Tap water samples were collected from sites throughout the community)

			Main		East (Mall) and East (Airport)					
CONTAMINANT AND UNIT OF MEASUREMENT	AL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	NG PERCENTILE SITES EXC		DATE OF SAMPLING (MO./YR.)	90TH PERCENTILE RESULT	NO. OF SAMPLING SITES EXCEEDING THE AL	MCLG	AL (ACTION LEVEL)	LIKELY SOURCE OF CONTAMINATION
Copper [tap water] (ppm)	No	7/1/08	0.936	0	7/1/08	0.885	0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead [tap water] (ppb)	No	7/1/08	4.9	0	7/1/08	3.8	0	0	15	Corrosion of household plumbing systems; erosion of natural deposits

<sup>&</sup>lt;sup>1</sup>Results in the Level Detected column for radiological contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.

### **Definitions**

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

IDSE (Initial Distribution System Evaluation): An important part of the Stage 2 Disinfection Byproducts Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

#### MRDLG (Maximum Residual Disinfectant Level

**Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable.

**pCi/L** (picocuries per liter): A measure of radioactivity.

**ppb** (parts per billion): One part substance per billion parts water (or micrograms per liter).

**ppm (parts per million):** One part substance per million parts water (or milligrams per liter).



<sup>&</sup>lt;sup>2</sup>For bromate, chloramines, or chlorine, the level detected is the the highest running annual average (RAA), computed quarterly, of monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA, computed quarterly, of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.